# SECURITY PLAN US ECOLOGY NEVADA March 2010

# **SECTION 4 SECURITY PLAN TABLE OF CONTENTS**

4.1.0	Facility Surveillance		1
4.2.0	Barrier and Means to Control	Entry	1
4.3.0	Warning Signs		1
Figure	4-1 Site Access Plan	LIST OF FIGURES	

### SECURITY PLAN

This section describes the procedures employed at US Ecology Nevada (USEN) to comply with the security requirements of 40 CFR §264.14, as adopted by the Nevada Division of Environmental Protection (NvDEP). The Facility Manager, or designee, is responsible for facility security.

### 4.1.0 Facility Surveillance

After-hours security is provided by locking the facility entrance gate(s). Employees who may be working after hours are supplied with an outside phone and a radio to contact the emergency coordinator or Sheriff, as necessary. Normal business hours are 7:00 AM to 5:00 PM. Any deviations from established security measures are brought to the attention of the Facility Manager for corrective action.

## 4.2.0 Barrier and Means to Control Entry

Unauthorized access to the facility is minimized by means of a six-foot-tall chain link fence surrounding the facility. The integrity of the perimeter fence is evaluated during the weekly inspection, and any problems noted are corrected.

Controlled access to the facility is through Gate 1, which is located north of the office compound (See Figure 1 – Gate 1 is referred to as the Main Site Entrance). Gate 1 serves as the main entrance for facility personnel, visitors, and waste transporters. This gate generally remains open during normal working hours, and it is under supervision by facility personnel. All gates are closed and locked at the end of each operational day, and remain closed during non-operational hours.

Incoming waste delivery traffic approaches the facility west-bound on the main access road and is instructed by signs to turn left through the main entrance gate, to either the truck scale, or visitor parking area. Once a non-waste vehicle is parked, drivers and passengers, if any, then proceed to the facility main office to register. Waste transporter and bulk load drivers are required to register in the Receiving Office.

Other gates always will remain in the closed and locked position so they are not included on the site map.

Facility access roads are illustrated in Figure 1.

## 4.3.0 Warning Signs

Warning signs are posted at each entrance to the active portion of the facility and on the perimeter fencing at approximately 50 foot intervals such that they may be visible from any approach to the active portion of the facility. Warning signs bear the legend "Danger - Unauthorized Personnel Keep Out," and are of sufficient size to be legible from a distance of 25 feet.

